NPS55-80-006

NAVAL POSTGRADUATE SCHOOL

Monterey, California



ON COMBINATIONS OF RANDOM LOADS

by

D. P. Gaver

and

P. A. Jacobs

January 1980

Approved for Public Release; Distribution Unlimited.



407 G26

TOTAL SCIENCE SELECTION OF SELE

NAVAL POSTGRADUATE SCHOOL MONTEREY, CALIFORNIA

Rear Admiral J. J. Ekelund Superintendent Jack R. Borsting
Provost

The work was prepared by:

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

AVAL TO C. "DI ATE SCHOOL ONTE" Y CA 92940

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM		
1. REPORT NUMBER NPS55-80-006	. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER		
4. TITLE (and Subtitie) On Combinations of Random Loads		5. TYPE OF REPORT & PERIOD COVERED Technical		
		6. PERFORMING ORG. REPORT NUMBER		
D. P. Gaver and P. A. Jacobs		8. CONTRACT OR GRANT NUMBER(8)		
9. PERFORMING ORGANIZATION NAME AND ADDRESS Naval Postgraduate School Monterey, CA 93940		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS		
11. CONTROLLING OFFICE NAME AND ADDRESS Naval Postgraduate School Monterey, CA 93940		12. REPORT DATE January 1980		
		13. NUMBER OF PAGES 50		
14. MONITORING AGENCY NAME & ADDRESS(if different	from Controlling Office)	Unclassified		
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE		
Approved for Public Release; Dist				
18. SUPPLEMENTARY NOTES				
19. KEY WORDS (Continue on reverse elde II necessary and Random Load Combinations, First Passage Times, Asymptotic Properties, Maxima of Correlated Random Variab				
20. ABSTRACT (Continue on reverse elde II necessary and II Structures are subject to changing stances these loads fluctuate in t	loads from var	ious sources. In many in- ently random fashion. Certain		

loads vary rather slowly (called constant loads); other loads occur more nearly as impulses (shock loads). Suppose that the stress put on the structure by various loads acting simultaneously can be expressed as a linear

combination of the load magnitudes. In this paper certain simple but somewhat realistic probabilistic load models are given and the resulting probabilistic

JECURI	TY CLASSIFICATION OF THIS PAGE(When Data Entered)
20.	ABSTRACT CONTINUED
	model of the total stress on the structure caused by the loads is considered. The distribution of the first time until the stress on the structure exceeds a given level x, and the distribution of the maximum stress put on the structure during the time interval (0,t] are studied. Asymptotic properties are also given. It is shown that the asymptotic properties of the maximum stress are related to those of the maxima of a sequence of dependent random variables. Classical extreme value type results are derived under proper normalization.

ON COMBINATIONS OF RANDOM LOADS

by

D. P. Gaver

and

P. A. Jacobs

Operations Research Department Naval Postgraduate School Monterey, CA 93940

1. Introduction and Assumptions

The integrity of a great many physical structures is potentially threatened by combinations of physical loads of varying magnitudes from various sources. We are thinking of structures such as buildings (for instance those that house or contain nuclear power plant elements); aircraft and spacecraft; electrical transmission networks; bridges, piers, and dams; and offshore oil drilling rigs that experience loads from wind, snow and ice, tides, earthquakes, and so forth. In many instances the total load or stress experienced by a structure varies in time in an apparently random fashion. Certain load components vary rather slowly; for example, that component resulting from snow and ice accumulation; others occur more nearly as impulses, such as those associated with winds or earthquakes. The problem is to design structures to withstand the superposition of loads from many sources with at least an approximately understood (high) probability. In engineering terms we wish to work towards


developing a rational safety factor technique for designing structures to withstand the combination of loads anticipated. The purpose of this paper is to describe and investigate certain simple but somewhat realistic probabilistic load models for use in design, and perhaps safety, assessment of structures.

In this paper we confine attention to the superposition of just two load types: shock loads, and constant loads. For example, wind gusts, flash floods, and earthquakes have varying magnitudes and have relatively short durations in comparison to the times between their occurrences; these will be modeled as instantaneous shock loads. On the other hand snow, ice, or water accumulation, or even the presence of slow-moving vehicles or furniture, present loads that remain nearly constant in time, occasionally changing to new levels; these will be modeled as constant loads that change infrequently. Throughout this investigation it will be assumed that the effective stress exerted by several types of loads acting simultaneously can be expressed as a linear combination (actually, sum) of those component loads, the loads being treated as stochastic processes. Somewhat similar load combination models have been studied in the past; see the work of Bosshardt [1975], Larrabee and Cornell [1978], McGuire and Cornell [1974], Pier and Cornell [1973], Weh [1977], and others. Note that the present study utilizes the notion of stochastic point processes as a modeling tool; see Cox and Miller [1965] for an introduction, and Lewis (ed.) [1972] for a more extensive treatment.

1.1. Modeling Assumptions and Problems

Assume that the successive magnitudes of shock loads are independently and identically distributed (i.i.d.) random variables with common continuous distribution function G(y); G(y) = 0 for $y \le 0$. The shock loads' appearance is regulated by a Poisson process with rate μ . Furthermore, the constant loads have i.i.d. magnitudes with distribution F(x); F(x) = 0 for $x \le 0$. Constant loads change at moments of a Poisson process with rate λ . Finally, the shock and constant load processes are, for the most part, taken to be statistically independent, although this assumption can be relaxed at times without difficulty.

Let X(t) (respectively Y(t)) be the magnitude of the constant (shock) load process at time t; (Y(t) will usually be zero). Put Z(t) = X(t) + Y(t), the superposition of the two loads at time t, and $M(t) = \sup_{s \le t} Z(s)$, the maximum load combination in [0,t]. See Figure 1. Let $T_X = \{\inf t \ge 0 : Z(t) > x\}$,



THE LOAD COMBINATION

i.e. the first-passge time to a combined stress level x. Unless fatigue or some other cumulative effect is in operation T_x will represent the time to failure of a structure whose strength is x, and that is subjected to a stress history $\{Z(t), t \geq 0\}$.

Section 2 is concerned with the description of the distribution of the maximum process and the distribution of T_x . The first step is to obtain Laplace transforms with respect to time. Asymptotic results $(x \to \infty)$ for $E[T_x]$ and the distribution of the normalized value $T_x^* = T_x/(E[T_x])$ will then be presented. In particular it will be shown that the distribution of T_x^* is approximately a unit exponential distribution as x becomes large and so does $E[T_x]$.

Section 3 is devoted to a study of the asymptotic properties of the "maximum process," M(t), as $t \to \infty$. These results relate to those of Welsch [1972] and O'Brien [1974a,b]; they are seen to extend the classical "extreme value" results of Gumbel [1958] and Gnedenko [1943]. We present results for the asymptotic distribution of M(t) and for the joint distribution of the first and second maximum load combination in [0,t] as $t \to \infty$.

2. The Laplace Transform of the Distribution of M(t) and a First-Passage Time Limit Theorem

2.1. Towards the Distribution of M(t)

Consider first the distribution function of the maximum process, $H_X(t) = P\{M(t) \le x\}$, for x > 0. Its Laplace transform is available immediately by noting that if T_1 is the time of the first change in the magnitude of the constant load process, then

$$\begin{split} H_{X}(t) &= P\{M(t) \leq x, \ T_{1} > t\} + P\{M(t) \leq x, \ T_{1} \leq t\} \\ &= e^{-\lambda t} \int_{0}^{X} exp\{-\mu t \ \overline{G}(x-y)\} \ F(dy) \\ &+ \int_{0}^{t} \lambda e^{-\lambda v} \ dv \int_{0}^{X} exp\{-\mu v \ \overline{G}(x-y)\} \ H_{X}(t-v) \ F(dy) \ . \end{split} \tag{2.1}$$

Next take Laplace transforms with respect to t:

$$\hat{h}_{x}(\xi) = \int_{0}^{\infty} e^{-\xi t} H_{x}(t) dt = M_{x}(\xi) + \lambda M_{x}(\xi) \hat{h}_{x}(\xi) ;$$
 (2.2)

reversal of the order of integration provides that

$$M_{X}(\xi) = \int_{0}^{X} [\xi + \lambda + \mu \bar{G}(x-y)]^{-1} F(dy). \qquad (2.3)$$

Hence,

$$\hat{h}_{x}(\xi) = \frac{M_{x}(\xi)}{1 - \lambda M_{x}(\xi)}$$
 (2.4)

It seems to be difficult to solve (2.1) (invert (2.4)) in any simple convenient form for any interesting choice of the distributions F and G. However, useful information can still be gleaned from (2.4). First, it is clear that if $T_{\rm x}$ is the first-passage time to combined load x, so

$$T_{X} = \inf\{t \ge 0:M(t) > x\}$$
, (2.5)

then, since $P\{M(t) \le x\} = P\{T_x > t\}$,

$$h_{x}(\xi) = \int_{0}^{\infty} e^{-\xi t} P\{T_{x} > t\} dt$$
 (2.6)

Let $\xi \to 0$ in (2.4) to find that

$$m(x) \equiv E[T_X] = h_X(0) = \frac{M_X(0)}{1 - \lambda M_X(0)}$$
 (2.7)

We now record some expressions for the mean first-passage time to x when specific distributions for shock and constant load magnitudes are in force.

Example 2.1. Identical exponentials: $F(x) = G(x) = 1 - e^{-x}$, $x \ge 0$. In this case

$$M_{x}(0) = \frac{1}{\lambda} (1 - e^{-x}) - \frac{\mu x e^{-x}}{\lambda^{2}} - \frac{\mu e^{-x}}{\lambda} \ln \left[\frac{\lambda + \mu e^{-x}}{\lambda + \mu} \right]$$

and

$$E[T_{x}] = \frac{e^{x}}{\lambda^{2}} \left\{ \frac{\lambda (1-e^{-x}) - \mu x e^{-x} + \mu e^{-x} \ln [(\lambda+\mu)/(\lambda+\mu e^{-x})]}{1 + \frac{\mu}{\lambda} x + \frac{\mu}{\lambda} \ln [(\lambda+\mu)/(\lambda+\mu e^{-x})]} \right\}$$

$$\sim \frac{1}{\mu} \left(\frac{e^{x}}{x} \right)$$
 as $x \to \infty$.

Example 2.2. Different exponentials:

$$\overline{F}(x) = e^{-ax}$$
, $\overline{G}(x) = e^{-kx}$ where $\frac{a}{k} = 2$.

In this case

$$M_{x}(0) = \int_{0}^{x} [\lambda + \mu e^{-k(x-y)}]^{-1} ae^{-ay} dy$$

= $\lambda^{-2} e^{-2kx} N(x)$

where

$$\begin{split} N(x) &= \lambda [-1 + e^{2kx}] + 2\mu [1 - e^{kx}] \\ &+ 2\mu^2 [-kx + \ln [(\lambda + \mu)(\lambda + \mu e^{-kx})^{-1}]]. \end{split}$$

Thus

$$E[T_x] = \lambda^{-1} N(x) [\lambda e^{2kx} - N(x)]^{-1} \sim \frac{e^{kx}}{2\mu}$$
 (2.9)

Example 2.3. $\overline{F}(x) = e^{-x}$, $\overline{G}(x) = e^{-x^2}$. In this case

$$M_{x}(0) = \frac{1}{\lambda} [1 - e^{-x}] + \frac{\mu}{\lambda} e^{-x} N(x)$$

where

$$N(x) = (e^{-x} - 1)[(\lambda + \mu)(\lambda + \mu e^{-x})]^{-1}$$
.

Thus

$$E[T_{x}] = \frac{1}{\lambda} e^{x} [1 - e^{-x} + \mu e^{-x} N(x)] [1 - \mu N(x)]^{-1} \sim \frac{\lambda + \mu}{\lambda(\lambda + \mu) + \mu} e^{x}.$$
(2.10)

Example 2.4.

$$\bar{F}(x) = \begin{cases} 1 & x < a_1^{1/\alpha}, \\ a_1 x^{-\alpha} & x \ge a_1^{1/\alpha}, \end{cases}$$

and

$$\overline{G}(x) = \begin{cases} 1 & x < a_2^{1/\alpha}, \\ a_2 x^{-\alpha} & x > a_2^{1/\alpha} \end{cases}$$

where $\alpha > 0$ and a_1 , $a_2 > 0$. In this case as $x \rightarrow \infty$

$$E[T_{\mathbf{x}}] \sim [\lambda a_1 + \mu a_2]^{-1} \mathbf{x}^{\alpha}. \tag{2.11}$$

Example 2.5.

$$\bar{\mathbf{F}}(\mathbf{x}) = \begin{cases} 1 & \text{if } \mathbf{x} < 1, \\ \mathbf{x}^{-\alpha} & \text{if } \mathbf{x} \ge 1, \end{cases}$$

and

$$\overline{G}(x) = \begin{cases} 1 & \text{if } x < 1, \\ x^{-\beta} & \text{if } x \ge 1. \end{cases}$$

If $\alpha < \beta$, then as $x \rightarrow \infty$

$${ t E}\left[{ t T}_{{f x}}
ight] \sim rac{1}{\lambda} { t x}^{lpha}$$
 .

If
$$\beta$$
 < α , then as x + ∞
$$\mathbb{E}\left[T_{x}\right] \, \sim \, \frac{1}{\mu} \, \, x^{\beta} \ . \eqno(2.12)$$

The next result is a limiting result for the first time the load combination process exceeds a given level x.

THEOREM (2.1). The limiting distribution of $T_{_{
m X}}$ is exponential, in the sense that

$$\lim_{x \to x_0} P\{m(x)^{-1}T_x > t\} = e^{-t}$$

where

$$x_0 = \inf\{t: F*G(t) = 1\}.$$

and

$$m(x) = E[T_x].$$

Proof. Put $\rho = \mu \lambda^{-1}$ and rearrange (2.3) so that the denominator of (2.7) is in the form

$$1 - \lambda M_{X}(0) = \overline{F}(x) + \int_{0}^{x} \rho \overline{G}(x-y) [1 + \rho \overline{G}(x-y)]^{-1} F(dy) = h_{1}(x). \quad (2.13)$$

Now apply the bounded convergence theorem and the fact that F and G have densities to show that $m(x) \to \infty$ as $x \to x_0$. It next follows by a change of variables in (2.4) that

$$\int_{0}^{\infty} e^{-\xi t} P\{m(x)^{-1} T_{x} > t\} dt = m(x)^{-1} \hat{h}_{x}(\gamma(x)) = \frac{M_{x}(\gamma(x))}{m(x)[1-M_{x}(\gamma(x))]} (2.14)$$

where $\gamma(x) = \xi m(x)^{-1}$. By the bounded convergence theorem applied to (2.3), $\lim_{x \to x_0} M_x(\gamma(x)) = \frac{1}{\lambda} . \tag{2.15}$

Again from (2.3) we have

$$1 - \lambda M_{x}(\gamma(x))$$

$$= \bar{F}(x) + \int_{0}^{x} [\gamma(x)\lambda^{-1} + \rho\bar{G}(x-y)][\gamma(x)\lambda^{-1} + 1 + \rho\bar{G}(x-y)]^{-1} F(dy).$$

Hence,

$$\begin{split} & m(x) \left[1 - \lambda M_{X}(\gamma(x)) \right] \\ & = \frac{\xi}{\lambda} \int_{0}^{X} \left[\gamma(x) \lambda^{-1} + 1 + \rho \overline{G}(x-y) \right]^{-1} F(dy) \\ & + m(x) \left[\overline{F}(x) + \int_{0}^{X} \rho \overline{G}(x-y) \left[\gamma(x) \lambda^{-1} + 1 + \rho \overline{G}(x-y) \right]^{-1} F(dy) \right] . \end{split}$$

Let

$$h_2(x) = \bar{F}(x) + \int_0^x \rho \bar{G}(x-y) [\gamma(x) \lambda^{-1} + 1 + \rho \bar{G}(x-y)]^{-1} F(dy);$$

then

$$\begin{split} h_{1}(x) - h_{2}(x) \\ &= \int_{0}^{x} F(dy) \rho \overline{G}(x-y) \left\{ - \left[1 + \rho \overline{G}(x-y) \right] + \left[\gamma(x) \lambda^{-1} + 1 + \rho \overline{G}(x-y) \right] \right\} \\ &\qquad \qquad \times \left\{ \left[1 + \rho \overline{G}(x-y) \right] \left[\gamma(x) \lambda^{-1} + 1 + \rho \overline{G}(x-y) \right] \right\}^{-1}. \\ &= \int_{0}^{x} F(dy) \rho \overline{G}(x-y) \gamma(x) \lambda^{-1} \left\{ \left[1 + \rho \overline{G}(x-y) \right] \left[\gamma(x) \lambda^{-1} + 1 + \overline{G}(x-y) \right] \right\}^{-1}. \\ &= \gamma(x) \lambda^{-1} k(x) \end{split}$$

where

$$k(x) = \int_{0}^{x} \rho \bar{G}(x-y) \{ [1 + \rho \bar{G}(x-y)] \{ \gamma(x) \lambda^{-1} + 1 + \rho \bar{G}(x-y)] \}^{-1} F(dy).$$

By the bounded convergence theorem

$$\lim_{x \to x_0} k(x) = 0.$$

Recall that

$$m(x) = \frac{\frac{1}{\lambda} + O(x)}{h_{\lambda}(x)}.$$

Hence,

$$\frac{h_{1}(x) - h_{2}(x)}{m(x)} = \frac{\xi h_{1}(x) \lambda^{-1}}{\lambda^{-1} + O(x)} \frac{k(x)}{h_{1}(x)}$$
$$= \frac{\xi}{1 + O(x)} k(x)$$

which tends to zero as $x \rightarrow x_0$. Therefore,

$$\lim_{x \to x_0} m(x) \left[1 - \lambda M_x(\gamma(x)) \right] = \xi \lambda^{-1} + \lambda^{-1} \lim_{x \to x_0} \left[1 + \frac{h_2(x) - h_1(x)}{h_1(x)} \right]$$
$$= (\xi + 1) \cdot \lambda^{-1}.$$

The result now follows from (2.14), (2.15) and the unicity result for Laplace transforms.

3. Asymptotic Results for the Maximum Load Combination

In this section we will study the asymptotic behavior of the maximum load combination to occur during time interval (0,t] as $t \to \infty$. Most results concerning maxima of non-Gaussian random variables are for variables in discrete time. Thus we will first obtain results for an embedded discrete time load combination process.

Let S_n be the time of the $n\underline{th}$ change in magnitude of the load combination process; that is,

$$S_{1} = \inf\{t > 0: Z(t) \neq Z(t-)\}$$
 and for n > 1
$$S_{n} = \inf\{t > S_{n-1}: Z(t) \neq Z(t-)\}.$$
 (3.1)

The change in the load combination at time S_n may be due to either a change in the constant load process or to the arrival of a shock load. Let $Z_n = Z(S_n)$ (respectively, $X_n = X(S_n)$, and $Y_n = Y(S_n)$) be the magnitude of the load combination (respectively constant load and shock load) at time S_n . Put

$$M_{n} = \max_{0 \le k \le n} (Z_{k}) .
 \tag{3.2}$$

Note that the times $\{S_n\}$ are the arrival times of a Poisson process with rate $\lambda + \mu$ and are independent of $\{Z_n\}$. Further,

$$P\{Z_0 \le x\} = F(x)$$

and for $n \ge 1$

$$P\{Z_n \leq x\} = pF(x) + qF*G(x)$$
 (3.3)

where

$$p = \int_{0}^{\infty} \lambda e^{-\lambda t} e^{-\mu t} dt = \frac{\lambda}{\lambda + \mu}$$

and

$$q = 1-p$$
.

3.1. Properties of An Imbedded Maximum Process

We will first study the asymptotic behavior of M_n as $n \to \infty$. Note that the random variables $\{Z_n\}$ are not independent In fact $\{(X_n,Z_n): n=0,1,\ldots\}$ is a discrete time Markov process. The following result describes the dependence of the random variables $\{Z_n\}$.

PROPOSITION (3.1). The sequence $\{Z_n\}$ is uniformly mixing (cf. Loynes [1965, p. 994]).

<u>Proof.</u> Let A and B be events such that $A = f(Z_0, ..., Z_n)$ and $B = g(Z_{n+m}, Z_{n+m+1}, ...)$. Then

$$|P(A \cap B) - P(A) P(B)|$$

$$= |E[(P(B|X_n) - P(B)); A]|$$

$$= q^m |E[\int (\epsilon_{X_n}(dy) - F(dy)) P(B|X_{n+m} = y); A]|$$

$$\leq 2q^m P(A)$$

where $\epsilon_{\rm x}$ denotes the Dirac measure concentrated at the point x.

This last proposition and a result of Loynes [1965, Theorem 1] imply that the only possible nondegenerate limiting distributions of $M_{\rm n}$ are the same three types that occur in the asymptotic behavior of the maxima of independent random variables; namely (except for scale and location parameters),

$$H_{1}(x) = \begin{cases} 0 & x \leq 0, \\ \exp\{-(x^{-\alpha})\} & x > 0, & \alpha > 0 \end{cases}$$

$$H_{2}(x) = \begin{cases} \exp\{-(-x^{\alpha})\} & x < 0, & \alpha > 0 \\ 1 & x \geq 0 \end{cases}$$

$$H_{3}(x) = \exp\{-e^{-x}\}$$

$$-\infty < x < \infty.$$
(3.4)

However, for the process $\{Z_n\}$, the following Proposition (3.2) together with a result of Loynes [1965, Lemma 2] implies that the limiting behavior of M_n will not necessarily be the same as that of the maximum of a sequence of independent random variables having common distribution pF(x) + qF*G(x).

PROPOSITION (3.2). For any sequences $k_n \rightarrow \infty$ and $c_n \rightarrow \infty$

$$\lim_{n \to \infty} \frac{\frac{1}{k_n}}{\sum_{i=1}^{k_n}} (k_n - i) P\{Z_{i+1} > c_n | Z_1 > c_n\} > 0.$$

Proof. Note that for any c > 0

$$P\{Z_{i+1} > c|Z_1 > c\} \ge q^i$$
.

The result now follows.

In order to obtain the limiting distribution of $\,^{M}_{n}\,^{}$ we will first study the limiting distribution of a related process which is defined as follows.

Let

$$J_{n} = \begin{cases} 1 & \text{if } Y_{n} = 0, \\ 0 & \text{if } Y_{n} > 0; \end{cases}$$

that is, $J_n = 1$ if the <u>nth</u> change in the load combination process $\{Z(t); t \ge 0\}$ is due to a change in the constant load and 0 if it is due to the arrival of a shock load.

Let

and

$$\tau_0 = 0$$

$$\tau_n = \inf\{k > \tau_{n-1} : J_k = 1\} ,$$

the index of the change in the load combination process which is due to the nth change in the constant load process. Let


$$L_{n}(k) = \sum_{\tau_{i} \leq n} l_{\{k\}}(\tau_{i} - \tau_{i-1})$$
,

the number of τ_i that occur before (discrete) time n such that $\tau_i - \tau_{i-1} = k$; ($1_{\{k\}}(x) = 1$ if x = k and 0 otherwise).

Let

$$U_{n} = \sup_{\tau_{n-1} \le k < \tau_{n}} z_{k},$$

the maximum load combination to occur during the nth period of time the constant load process remains constant.



THE DISCRETE TIME LOAD COMBINATION PROCESS AND MAXIMA.

For each integer K

$$M_{K,n} = \max_{\tau_{i} \leq n} U_{i} l_{[0,K]}(\tau_{i} - \tau_{i-1})$$
,

the maximum load combination for the discrete time process in the time interval [0,n] which is due to those shock loads and constant loads which occur during time intervals of constancy for the discrete time constant load process which are of length less than or equal to K. Finally, let $M_{K,n}^{(2)}$ be the magnitude of the second maximum of the sequence

$$\{U_{i} \mid I_{[0,K]}(\tau_{i} - \tau_{i-1}); \tau_{i} \leq n\}$$
.

Note from (3.2) that

$$M_{K,n} \leq M_n$$
.

Hence

$$H_{K,n}(x) = P\{M_{K,n} \leq x\}$$

$$= E[\prod_{k=0}^{K} [F*G^{k}(x)]^{L_{n}(k)}]$$

$$\geq P\{M_{n} \leq x\}.$$

3.2. <u>Limiting Results for Pareto-tail Load Distributions</u> In what follows we will assume

$$\bar{F}(x) = a_1 x^{-\alpha} L(x) , \quad x > 0 ,$$

$$\bar{G}(x) = a_2 x^{-\alpha} L(x) , \quad x > 0 ,$$
(3.5)

where L is a slowly varying function.

Next we will find the limiting distribution of $M_{K,n}$ as $n \to \infty$ for fixed K. Then we will show that the limiting distribution of $M_{K,n}$ is close to that of M_n for K large.

PROPOSITION (3.3). Let \bar{F} and \bar{G} be as in (3.5), and u_n be such that

$$(u_n)^{-\alpha} L(u_n) \sim \frac{1}{n} \quad \text{as} \quad n \to \infty .$$
 (3.6)

Then

$$\lim_{n \to \infty} H_{K,n}(u_n x) = \exp\{-x^{-\alpha} p^2 \sum_{k=0}^{K} q^k [a_1 + ka_2]\} = H_k(x).$$

Proof. Note that

$$\begin{aligned} 1 - G^k(x) &= k\overline{G}(x) G(x)^{k-1} \\ &+ \binom{k}{2} \overline{G}(x)^2 G(x)^{k-2} \\ &+ \cdots + \left[\overline{G}(x) \right]^k \\ &\sim ka_2 x^{-\alpha} L(x) \qquad \text{as} \qquad x \neq \infty \ . \end{aligned}$$

Thus by result (8.13) on page 278 of Feller [1971],

$$1 - F*G^k(x) \sim (a_1 + ka_2)x^{-\alpha} L(x) .$$

Hence as $n \rightarrow \infty$

$$\begin{split} \mathbf{H}_{K,n}(\mathbf{u}_{n}\mathbf{x}) &= \mathbb{E} \left[\exp \left\{ \sum_{k=0}^{K} \mathbf{L}_{n}(k) \; \; & \; \text{in } \mathbf{F}^{*}\mathbf{G}^{k}(\mathbf{u}_{n}\mathbf{x}) \right\} \right] \\ &\sim \mathbb{E} \left[\exp \left\{ \sum_{k=0}^{K} \mathbf{L}_{n}(k) \left[1 - \mathbf{F}^{*}\mathbf{G}^{k}(\mathbf{u}_{n}\mathbf{x}) \right] \right] \\ &\sim \mathbb{E} \left[\exp \left\{ \sum_{k=0}^{K} \frac{\mathbf{L}_{n}(k)}{n} \; \mathbf{x}^{-\alpha} [\mathbf{a}_{1} + k \mathbf{a}_{2}] \right\} \right] \; . \end{split}$$

Note that

$$\lim_{n \to \infty} \frac{L_n(k)}{n} = p^2 q^k , \qquad k = 0, 1, \dots .$$

The result now follows by the bounded convergence theorem.

THEOREM (3.4). Under the assumptions of Proposition (3.3)

$$\lim_{n \to \infty} P\{M_n \le u_n x\} = \exp\{-x^{-\alpha}[pa_1 + qa_2]\}.$$

Proof. Let

$$H_K(x) = \exp\{\sum_{k=0}^{K} p^2 q^k x^{-\alpha} [a_1 + ka_2]\}$$

and

$$H(x) = \lim_{K \to \infty} H_K(x)$$

$$= \exp\{-x^{-\alpha}[pa_1 + qa_2]\}.$$

$$|P\{M_n \leq u_n x\} - H(x)|$$

$$\leq |P\{M_n \leq u_n x\} - H_{K,n}(u_n x)|$$

$$+ |H_{K,n}(u_n x) - H_{K}(x)| + |H_{K}(x) - H(x)|.$$

Note that

$$|P\{M_n \le u_n x\} - H_{K,n}(u_n x)| \le E[1 - exp\{-A_n(K)\}]$$
 (3.7)

where

$$A_{n}(K) = -\sum_{k=K+1}^{\infty} L_{n}(k) \ln F*G^{k}(u_{n}X)$$

$$= \sum_{k=K+1}^{\infty} L_{n}(k) \left[1 - F*G^{k}(u_{n}X) + o(1 - F*G^{k}(u_{n}X))\right].$$

Since

$$1 - G^{k}(x) < k\overline{G}(x)$$

and

$$1 - F*G^{k}(x) = 1 - G^{k}(x) + k \int_{0}^{x} G^{k-1}(y) \overline{F}(x - y) G(dy)$$

$$\leq k \overline{F*G}(x)$$

it follows that

$$A_{n}(K) \leq \sum_{k=K+1}^{\infty} L_{n}(k) \left[k \overline{F^{*}G}(u_{n}x) + o(k \overline{F^{*}G}(u_{n}x)) \right].$$

Note that, for $0 < \epsilon < 1$.

$$\overline{F * G}(u_n x) \leq \overline{F}(u_n x (1 - \varepsilon)) + \overline{G}(u_n x (1 - \varepsilon)) + \overline{F}(u_n x \varepsilon) \overline{G}(u_n x \varepsilon).$$

Therefore for fixed $\delta > 0$ there is an N $_0$ such that for $n \ge N_0$

$$\sum_{k=K+1}^{\infty} L_n(k) \quad k \quad \overline{F^*G}(u_n x) \leq \sum_{k=K+1}^{\infty} \frac{L_n(k)}{n} \quad k \left[a_1 x^{-\alpha} + a_2 x^{-\alpha} + \delta \right] .$$

Further,

$$E[L_n(k)] \le E[\sum_{i=1}^n 1_{\{k\}}(\tau_i - \tau_{i-1})] = np^2q^k$$
.

Hence for $n \geq N_0(\delta)$

$$\mathbb{E}\left[\sum_{k=K+1}^{\infty} \mathbb{L}_{n}(k) \ k \ \overline{F^{*}G}(u_{n}x)\right] \leq \left[a_{1} + a_{2}\right]x^{-\alpha} + \delta \left[\sum_{k=K+1}^{\infty} p^{2}q^{k}k\right]. \tag{3.8}$$

Choose $\gamma > 0$. Apply Jensen's inequality to (3.7): for $n > N_0(\delta)$

$$E[1 - exp{-A_n(K)}] \le 1 - exp{E[-A_n(K)]} \to 0$$

as $K \rightarrow \infty$. Thus for sufficiently large n and K

$$|P\{M_n \leq u_n x\} - H_{K,n}(u_n x)|$$

is arbitrarily small. It follows that

$$\lim_{n \to \infty} P\{M_n \le xu_n\} = \exp\{-x^{-\alpha}[pa_1 + qa_2]\}$$
 (3.9)

whereas, if the load process were one of independent random variables, denoted by Z_n^{\dagger} with distribution pF(x) + qF*G(x), the maximum would be distributed as follows

$$\lim_{n \to \infty} P\{M_n' \le xu_n\} = \exp\{-x^{-\alpha}[a_1 + qa_2]\}; \qquad (3.10)$$

The u_n is the same in each case; see (3.6). Comparison of (3.9) and (3.10) shows that the expression (3.10) overestimates the probability of exceeding a given stress level.

O'Brien [1974a] obtained the above result in the case in which there is a constant load (i.e., $a_2 = 0$) alone, or only a shock load (i.e., $a_1 = 0$).

3.3. Results for Continuous Time

THEOREM (3.5). Let \overline{F} and \overline{G} be as in (3.5). Let u(t) be such that $u(t)^{-\alpha}$ $L(u(t)) \sim 1/t$ as $t \to \infty$. Then $\lambda + \mu$.

$$\lim_{t \to \infty} P\{M(t) \le xu(t)\} = \exp\{-x^{-\alpha}[\lambda a_1 + \mu a_2]\}. \quad (3.9)$$

<u>Proof.</u> Let N(t) be the number of changes in the load combination process, $\{Z(u): u \ge 0\}$, in the time interval [0,t). The process $\{N(t):t \ge 0\}$ is a Poisson process with rate Further,

$$M(t) = M_{N(t)}$$
.

The result now follows from the proofs of Proposition (3.3) and Theorem (3.4), the strong law of large numbers for N(t), and the bounded convergence theorem.

Slight modifications of the proofs of Proposition (3.3) and Theorems (3.4) and (3.5) imply the following result.

THEOREM. (3.6), Let

$$\bar{F}(x) = x^{-\alpha}L(x)$$
 and $\bar{G}(x) = x^{-\beta}L(x)$

where L is a slowly varying function.

a) If $\alpha < \beta$ and u(t) is such that $u(t)^{-\alpha}L\{u(t)\} \sim 1/t$ as $t \to then$ $\lim_{t \to \infty} P\{M(t) \le xu(t)\} = \exp\{-\lambda x^{-\alpha}\}. \tag{3.10}$

b) If $\beta < \alpha$ and u(t) is such that $u(t)^{-\beta} L[u(t)] \sim 1/t$ as $t \to \infty$ then $\lim_{t \to \infty} P\{M(t) \le xu(t)\} = \exp\{-\mu x^{-\beta}\}.$

The above result indicates that if the tail of the distribution of the magnitude of a constant load (respectively shock load) dominates that of the shock (respectively constant load), the asymptotic behavior of the maximum load combination is the same as that of the maximum constant load (respectively shock load) by itself. On the other hand, Theorem (3.5) indicates that if tails of the distributions of the magnitudes of the constant and shock loads are comparable, then the asymptotic behavior of the maxima of the load combination process depends on both the constant and shock load processes.

3.4. Limiting Results for the Joint Distribution of the First and Second Maxima

Let $M_n^{(2)}$ denote the magnitude of the second maxima of $\{Z_k\,;\,k\le n\}$. Assume \bar{F} and \bar{G} are as in (3.5). Let

$$H(x) = \exp\{-x^{-\alpha}[pa_1 + qa_2]\}$$

as before. Techniques similar to those used in the proofs of the results in Subsection (3.2) yield the following result THEOREM (3.7). Let u_n be as in (3.6). Then

$$\lim_{n \to \infty} P\{M_n^{(2)} \le yu_n, M_n \le xu_n\} = B(y,x)$$

where for $x \leq y$,

$$B(y,x) = H(x)$$

and for y < x

$$B(y,x) = H(y) \{1 + [p^2a_1 + qa_2][y^{-\alpha} - x^{-\alpha}]\}$$
.

A result of Welsch [1972] implies that the limiting distribution B must be of the following form

$$B(y,x) = \begin{cases} H(x) & \text{if } y > x, \\ \\ H(y) \{1 - g[(\ln H(x)/\ln H(y))] \ln H(y)\}, & \text{if } y < x \end{cases}$$
 (3.11)

where g(s), 0 < s \leq 1 is a concave, nonincreasing function which satisfies g(0)(1 - s) \leq g(s) \leq 1 - s. In our case

$$g(s) = \left[\frac{p^2 a_1 + q a_2}{p a_1 + q a_2} \right] (1 - s) .$$
 (3.12)

Let $M^{(2)}(t)$ denote the magnitude of the second maximum to occur in [0,t] for the continuous time load combination process $\{Z(s); s \geq 0\}$. Arguments similar to those in Section 3.3 can be used to obtain the following result.

THEOREM (3.8). Let F and G be as in (3.5) and u(t) be such that u(t) $^{-\alpha}$ L(u(t)) \sim 1/t as t $\rightarrow \infty$. For x > y

$$\lim_{t \to \infty} P\{M(t) \le xu(t), M^{(2)}(t) \le yu(t)\}$$

$$= \exp\{-y^{-\alpha}[\lambda a_1 + \mu a_2]\} \left[1 + \frac{\lambda^2}{\lambda + \mu} a_1 + \mu a_2 (y^{-\alpha} - x^{-\alpha})\right];$$

for x < y

$$\lim_{t \to \infty} P\{M(t) \le xu(t), M^{(2)}(t) \le yu(t)\}$$

$$= \exp\{-x^{-\alpha}[\lambda a_1 + \mu a_2]\}.$$

ACKNOWLEDGMENT

P. A. Jacobs wishes to acknowledge research support from the National Science Foundation Grant Numbers ENG-77-09020 and ENG-79-01438. D. P. Gaver acknowledges support from the Probability and Statistics Branch, Office of Naval Research.

REFERENCES

- BOSSHARDT, W. On stochastic load continuation. Technical Report 20, J. A. Blume. Earthquake Engineering Center, Stanford University, Stanford, CA, June 1975.
- COX, D. R. and MILLER, H.D. The theory of stochastic processes, John Wiley and Sons, 1965.
- FELLER, W. An Introduction to Probability Theory and its Applications, Vol. 2, Second Edition, John Wiley and Sons, 1971.
- GNEDENKO, B. V., Sur las distribution limite du terme maximum d'une série aléatoire, Ann. Math. 44 (1943), 423-453.
- GUMBEL, E. J. Statistics of Extremes. Columbia University Press, New York, 1958.
- LARRABEE, R. D. and CORNELL, C. A. Upcrossing rate solution for load combinations. J. Structural Division, ASCE 105 No. STl (1978).
- LEWIS, P. A. W. (ed.). Stochastic Point Processes: Statistical Analysis, Theory, and Applications. John Wiley and Sons, Inc., 1972.
- LOYNES, R. M. Extreme values in uniformly mixing stationary stochastic processes. Ann. Math. Statist. 36 (1965), 993-999.
- MCGUIRE, R. K. and CORNELL, C. A. Live loud effects in office buildings. J. Structural Division ASCE 100, No. ST7 (1974), 1351-1366.
- O'BRIEN, G. L. Limit theorems for the maximum term of a stationary process. Annals of Prob. 2 (1974a), 540-545.
- O'BRIEN, G. L. The maximum term of uniformly mixing stationary process. Z. Wahrscheinlichkeitstheorie und Verw. Gebiete 30 (1974b), 57-63.
- PEIR, J. C. and CORNELL, C. A. Spatial and temporal variability of live loads. J. Structural Division ASCE 99, No ST5 (1973), 903-922.
- WEH, Y-K. Statistical combination of extreme loads. J. Structural Division ASCE 103, No. ST5 (1977), 1079-1092.
- WELSCH, R. E. Limit laws for extreme order statistics from strong-mixing processes. Ann. Math. Statistc. 43 (1972), 439-446.

INITIAL DISTRIBUTION LIST

	Number	of	Copies
Defense Documentation Center Cameron Station Alexandria, VA 22314		2	
Library Code Code 0142 Naval Postgraduate School Monterey, CA 93940		2	
Library Code 55 Naval Postgraduate School Monterey, Ca. 93940		1	
Dean of Research Code 012A Naval Postgraduate School Monterey, Ca. 93940		1	
Attn: A. Andrus, Code 55 D. Gaver, Code 55 D. Barr, Code 55 P. A. Jacobs, Code 55 P. A. W. Lewis, Code 55 P. Milch, Code 55 R. Richards, Code 55 R. J. Stampfel, Code 55 R. R. Read, Code 55 J. Wozencraft, Code 74		1 25 1 20 1 1 1 1 1	
Mr. Peter Badgley ONR Headquarters, Code 102B 800 N. Quincy Street Arlington, VA 22217		1	
Head, Systems Theory and Operations Research Progr National Science Foundation Division of Engineering Washington, D.C. 20550	ram	1	
Mr. C. N. Bennett Naval Coastal Systems Laboratory Code P7c.1 Panama City, FL 32401		1	

OFFICE OF NAVAL RESEARCH SAN IPANCISCU AREA OFFICE 760 MAIKET STREET SAN FRANCISCO CALIFORNIA 94102	.1
TECHNICAL LIBRARY NAVAL CREMANCE STATION INDIAN HEAD MARYLAND 20640	1
NAVAL SHIP ENGINEERING CENTER PHILADELPHIA DIVISION TECHNICAL LIBRARY PHILADELPHIA PENNSYLVANIA 19112	1
BLREAU OF NAVAL PRESONNEL DEFARTMENT OF THE NAVY TECHNICAL LIERARY WASHINGTON C. C. 20370	1
PROF. P. AEDEL-HAMEED DEPARTMENT OF MATHEMATICS UNIVERSITY OF NORTH CARCLINA CHARLOTTE NC 28223	1
PROF. T. W. ANCERSON DEFARTMENT OF STATISTICS STANFORD UNIVERSITY STANFORD, CALIFORNIA '94305	1
PRCF. F. J. ANSCOMBE DEPARTMENT OF STATISTICS YALE UVIVERSITY NEW HAVEK CONNECTICUT C6520	1
PROF. L. A. ARCIAN INSTITUTE OF INCUSTRIAL ADELKISTRATION UNION COLLECE SCIENT LIADY . ASK YERN 12308	1

DISTRIBUTION LIST

DISTRIBUTI	ON LIST	No. o	f Copies
STATISTICS AND PREBABILITY CFFICE OF NAVAL RESEARCH COCE 436 AFLINGTON	FROGRAM		1
VA	22217		
CFFICE OF NAVAL RESEARCH NEW YORK ARCA OFFICE 715 BROATHAY - STH FLOOR ATIN: CR. ROBER GRAFTON NEW YORK: NY	10003	1	L
DIRECTOR CFFICE OF NAVAL RESEARCH E 536 SCUTH CLARK STREET ATTN: DEPUTY AND CHIEF SC CHICAGO, IL	RANCH OFF IENTIST 60605	1	L
LIERARY NAVAL OCEAN SYSTEMS CENTER SAN DIEGO CA	92152	1	
NAVY LIBRARY NATIONAL SPACE TECHNOLOGY I ATTN: NAVY LIERARIAN BAY ST. LGUIS MS	29522	1	•
NAVAL ELECTRONIC SYSTEMS CO NAVELEX 22C NATIONAL CENTER NO. 1 ARLINGTON VA	20360	1	
DIRECTOR NOVAL REAEARCH LAE ATTN: LIERARY (OHRL) CODE 2025 NASHINGTON, C.C.	CRATORY 20375	1	
TECHNICAL INFORMATION CIVIS NAVAL RESEARCH LABORATORY		1	
HASHINGTON, D. C.	20375		

DISTRIBUTION LIST

	No. of Copies
PRCF. C. R. BAKER DEPARTMENT CH STATISTICS UNIVERSITY OF NOTRH CAFCLINA CHAPEL HILL: NORTH CARGLINA 27514	1
PRCF. R. E. DECHHOFER CEFARTMENT OF CPERATIONS RESEARCH CORNELL UNIVERSITY ITHACA NEW YORK 14850	1
FRCF. N. J. BERSHAC SCHOOL OF ENGINEERING UNIVERSITY OF CALIFORNIA IRVINE CALIFORNIA 92664	1
DEFARTMENT OF STATISTICS UNIVERSITY OF CALIFORNIA BERKELEY, CALIFORNIA \$4720	1
FROF. F. W. BLOCK DEPARTMENT OF MATHEMATICS UNIVERSITY OF PITTSBURGH PITTSBURGH PA 15260	1
PROF. JOSEPH BLUM DEPT. OF MATHEMATICS, STATISTICS AND COMPLTER SCIENCE THE AMERICAN UNIVERSITY WASHINGTON CC 20016	1
PROF. R. A. BRADLEY DEFARTMENT OF STATISTICS FLORIDA STATE UNIVERSITY TALLAHASSEE , FLORIDA 32306	1
FROF. R. E. BARLOW OPERATIONS PESCARCH CENTER COLLEGE OF ENGINDERING UNIVERSITY OF CALIFORNIA BERKLEY CALIFORNIA 94720	1

	No. of Copies
MR. GENE F. GLEISSNER AFFLIED MATHEMATICS LABORATORY CAVID TAYLOR NAVAL SHIP RESEARCH AND DEVELOPMENT CENTER BETHESDA MD 20084	1
PROF. S. S. GUPTA DEPARTMENT OF STATISTICS PURCUE UNIVERSITY LAFAYETTE INDIANA 47907	1
FROF. C. L. HANSON DEPT OF MATH. SCIENCES STATE UNIVERSITY OF NEW YORK, BINGHAMTON BINGHAMTON NY 13901	1
Prof. M. J. Hinich Dept. of Economics Virginia Polytechnica Institute and State University Blacksburg, VA 24061	1
Dr. D. Depriest. ONR, Code 102B 800 N. Quincy Street Arlington, VA 22217	1
Prof. G. E. Whitehouse Dept. of Industrial Engineering Lehigh University Bethlehem, PA 18015	1
Prof. M. Zia-Hassan Dept. of Ind. & Sys. Eng. Illinois Institute of Technology Chicago, IL 60616	1
Prof. S. Zacks Statistics Dept. Virginia Polytechnic Inst. Blacksburg, VA 24061	1
Head, Math. Sci Section National Science Foundation 1800 G Street, N.W. Washington, D.C. 20550	1

No. of Copies

PROF. W. M. HIRSCH INSTITUTE OF MATHEMATICAL SCIENCES NEW YORK UNIVERSITY ASH YORK NEW YORK 10453	1.
PREF. J. B. KACANE DEPARTMENT OF STATISTICS CARNEGIE-MELLON PITTS BURGE. PENNSYLVANIA 15213	1
DR. RICHARD LAU CIFECTOR CFFICE OF NAVAL RESEARCH ERANCH OFF 1030 EAST GREEN STREET PASADENA CA S1101	1
DR. A. R. LAUFER DIRECTOR CFFICE OF NAVAL RESEARCH BRANCH OFF 1030 EAST GREEN STREET PASADENA CA 91101	i
PROF. M. LEADSETTER DEPARTMENT OF STATISTICS UNIVERSITY OF NORTH CARCLINA CHAPEL HILL NOFTH CARULINA 27514	Ŧ
CR. J. S. LEE J. S. LEE ASSOCIATES, INC. 2001 JEFFERSON DAVIS HIGHWAY SUITE 802 ARLINGTON VA 22202	1
FROF. L. C. LES DEPARTMENT OF STATISTICS VIRGINIA FOLYTECHNIC INSTITUTE AND STATE UNIVERSITY BLACKSBURG VA 24061	1
FROE. R. S. LEVENMORTH DEPT. OF THIUITHIAL AND SYSTEMS ENGINETRING UNIVERSITY OF FUCKIDA GAINSVILLE . FUCKIDA - 22611	1.

DISTRIBUT	ION BIDI	No. of Copies
CR. D. L. ICLEFART DEPT. CF C.F. STANFORD UNIV: STANFORD CALIFORNIA	94305	1
Dr. E. J. Wegman, ONR, Cdoe 436 Arlington, VA 22217		1
DR. H. KOBAYASHI IBY YORKTOHN HEIGHTS NEW YORK	10598	1
CR. JOHN LEHOCZKY STATISTICS DEHARTHENT CARNEGIE-HELLEN UNIVERSI PITTSBURCH PENNSYLVANIA		1
DR. A. LEMOINE 1020 GUINCA ST. FALD ALIC: CALIFORNIA	15213	1
DR. J. MACCUSEN UNIV. CF CALIF.	94301	1
CALIFORNIA	90024	1
Professor Kneale Marshall Scientific Advisor to DCNO (MPCOde OP-OIT, Room 2705 Arlington Annex Washington, D.C. 20370	Γ)	
DR. M. MAZUMCIR MATH. DEPT. ESTINGHOUSE RES. LABS CHURCHIUL BORC PITTSBURCH		1
PENNSYLVANIA	15235	

	No. of copie	S
PROF G. LIEBERMAN STAMFORD INIVERSITY DEFARIMENT OF OPERATIONS RESEARCH SYANFORD CALIFORNIA 94305	1	
DR. JAMES R. MAAR NATIONAL SECURITY AGENCY FORT MEADE , MARYLAND 20755	1	
PPCF. R. W. MAESEN DEPARTMENT OF STATISTICS UNIVERSITY OF MISSOURI COLUMBIA MO 65201	1	
DR. N. R. MANN	1	
SCIENCE CENTER ROCKWELL INTERNATIONAL CORPORATION F.C. BOX 1085 THOUSAND CAKS . CALIFORNIA 91360		
PROGRAM IN LOGISTICS THE GEORGE WASHINGTON UNIVERSITY 707 22MC STREET, N. W. WASHINGTON, O. C. 20037	1	
PROF. E. MASRY DEFT. APPLIED PHYSICS AND INFORMATION SERVICE UNIVERSITY OF CALIFORNIA LA JOLLA CALIFORNIA 92093	1 .	
Prof. W. A. Thompson Department of Statistics University of Missouri Columbia, MO 65201	1	
Mr. F. R. Priori Code 224, Operational Test and ONRS & ONR Evaluation Force (OPTEVFOR) Norfolk, VA 20360	1	

		No.	of	Copies
Dr. Leon F. McGinnis School of Ind. And Sys. Eng. Georgia Inst. of Tech. Atlanta, GA 30332				l
CR. F. MOSTELLER STAT. CEPT. HARVARD UNIV. CAMBRIDGE PASSACHUSETTS	02139			1
DR. M. REISER IEM THOMAS J. WATSON RES. CTR. YORKTOWN HEIGHTS NEW YORK	10598			1.
DR. J. RICROAN DEPT. OF MATHEMATICS FOCKEFELLER UNIV. NEW YORK NEW YORK	10021			1.
DR. LINUS SCHRAGE UNIV. OF CHICAGO . GRAD. SCHOOL OF BUS 5826 GREENWOOL AVE. CHICAGO, ILLINGIS	60637			1
Dr. Paul Schweitzer University of Rochester Rochester, N.Y. 14627				1
Dr. V. Srinivasan Graduate School of Business Stanford University Stanford, CA. 94305				1
Dr. Roy Welsch M.I.T. Sloan School Cambridge, MA 02139				1

CR. JANET M. MYHRE THE INSTITUTE OF DECISION SCIENCE FOR BUSINESS AND PUBLIC POLICY CLAREMONT MEN'S COLLEGE CLAREMONT CA S1711	No. of Copies 1
MR. F. MISSELSCA BLREAU OF THE CENSUS ROCH 2025 FREERAL EVILCING 3 RASHINGTON ; D. C. 2023	1
MISS B. S. CRLEANS NAVAL SEX SYSTEMS COMMAND (SEA OEF) RM 105C0 ARLINGTON VIRGINIA 20360	1
FRCF. C. E OWEN DEPARTMENT OF STATISTICS SOUTHERN METHODIST UNIVERSITY CALLAS TEXAS 75222	1
Prof. E. Parzen Statistical Sceince Division Texas A & M University College Station TX 77843	1
DR. A. PETRASOVITS RCCM 2078 , FCCC AND DRUG BLDG. TUNNEY'S PASTURE CTTOWA , CNTARIC KLA-CL2 , CANADA	1
FRCF. S. L. PHOENIX SIBLEY SCHOOL OF MECHANICAL AND AEROSPACE ENCINEERING CORNELL UNIVERSITY ITHACA NY 14850	1
DR. A. L. POWELL EIRECTER CEFFICE OF NAVAL RESEARCH BRANCH OFF 495 SUMMER STREET BESTER MA 02210	1

	No. of Copies
PROF. M. L. PURI DEFT. CF MATHEMATICS P.G. BGX F INCIANA UNIVERSITY FOUNDATION BLOWINGTON IN 47401	1
PROF. H ROPBINS DEPARTMENT OF MATHEMATICS COLUMNIA UNIVERSITY NEW YORK, NEW YORK, NEW YORK	1
PFOF. M ROSENBLATT DEPARTMENT OF MATHEMATICS UNIVERSITY OF CALIFORNIA SAN DIEGO LA JOLLA CALIFORNIA	1
92093	
PROF. S. M. RCSS COLLEGE OF ENGINEERING UNIVERSITY OF CALIFORNIA BERKELEY CA 94720	1
FROF. I RUBIN SCHOOL OF ENGINEERING AND APPLIED SCIENCE UNIVERSITY OF CALIFORNIA LOS ANGELES. CALIFORNIA 20024	1
PRCF. I. R. SAVAGE CEPARTMENT OF STATISTICS YALE UNIVERSITY NEW HAVEN. CONNECTIOUT C6520	1
PROF. L. L SCHARF JR DEPARTMENT OF BLECKICAL ENGINEERING COLORACU STATE UNIVERSITY FT. COLUINS , COLORACU E0521	1
Prof. W. R. Schucany Deptartment of Statistics Southern Methodist University Dallas, TX 75222	1

	No. of	Copies
Dr. H. Sittrop Physics Lab., TNO . P.O. Box 96964 2509 JG, The Hague The Netherlands	1	
DR. R. ELASHOFF BIOMATHEMATICS UNIV. CF CALIF. LCS ANGELES CALIFORNIA 90024	1	
PROF. GEORGE S. FISHMAN UNIV. OF NORTH CARGLINA CUR. IN CR. AND SYS. ANALYSIS PHILLIPS ANNEX CHAPEL HILL, NORTH CARGLINA 20742	1	
DR. R. GNANACESIKAN EELL TELEPHONE LAE ROLPDEL, N. J. 07733	1	
DR. A. J. COLEMAN CHIEF, GR DIV. 205.02, ADMIN. A428 U.S. DEFT. OF COMMERCE WASHINGTON, E.C. 20234	1	
DR. H. FIGGINS 53 BONN 1, POSTFACE 589 NASSESTRASSE 2	1	
. WEST GERMANY		
DR. P. T. HOLMES DEPT. OF MATH. CLEMSON UNIV. CLEMSON SCUTH CAROLINA 29631	1	
Dr. J. A. Hocke Bell Telephone Labs Whippany, New Jersey 07733	1	
Dr. Robert Hooke Box 1982 Pinehurst, No. Carolina 28374	1	

	No.	of Copies
PROF. L. N. PHAT COMPUTER SCIENCE / OPERATIONS RESEARCH CENTER SOUTHERN METHODIST UNIVERSITY DALLAS TEXAS 75275		٦.
PROF. W. R. ELISCHKE DEPT. OF QUANTITATIVE BUSINESS ANALYSIS UNIVERSITY OF SOUTHERN CALIFORNIA LOS ANGELES, CALIFORNIA 90007		1
CR. DERRILL J. BCRDELON NAVAL UNCEFWATER SYSTEMS CENTER COCE 21 NEWPORT		1
02840		
J. E. COYER JR CEPT. OF STATISTICS SOUTHERN METHODIST UNIVERSITY DALLAS TX		1
75275		
DR. J. CHANDRA U. S. ARMY RESEARCH P. G. EOX 12211: RESEARCH TRIANGLE PARK NORTH CARCLINA 27706		1
PROF. F. CHERNOFF DEPT. OF MATHEMATICS MASS INSTITUTE OF TECHNOLOGY CAMBRIDGE. MASSACHUSETTS 02139		. 1
FFOF. C. CERMAN DEFARTMENT OF CIVIL ENGINEERING AND ENGINEERING MECHANICS COLUMBIA UNIVERSITY NEW YORK 10027		1
PROF. R. L. DISKEY VIRGINIA POLYTECHNIC INSTITUTE AND STATE UNIVERSITY DEFT. OF INTUSTRIAL ENGINEERING AND OPERATIONS RESEARCH EL/CKS EURC: VA 24061		1

No. of Copies

PROF. C. C. SIEGNUND CEPT. OF STATISTICS STANFORC UNIVERSITY	1
STANFORD CA \$43.05	
PROF. M. L. SEGDMAN DEPT. OF BLECTEIGAL ENGINEERING POLYTECHNIC INSTITUTE OF NEW YORK BROCKLYN. NEW YORK 11201	1
CR. C. E. SMITH DE SMATICS INC. P.C. BCX 618 STATE COLLEGE PENNSYLVANIA 16801	1
PROF. W. L. SPITH DEFARTMENT OF STATISTICS UNIVERSITY OF NERTH CARCLINA CHAPEL HILL NORTH CARCLINA 27514	1
Dr. H. J. Solomon Statistics Dept. Stanford University Stanford, Ca. 94305	1
MR. GLENN F. STAFLY NATIONAL SECURITY AGENCY FORT MEACE PARYLAND 20755	1
Mr. J. Gallagher Naval Underwater Systems Center New London, CT 06320	1
Prof. Gordon Newell Transportation Engineering University of California Berkeley, CA. 94720	l

No. of Copies

DR. R. M. STARK STATISTICS AND COMPUTER OF DELAWARE NEWARK	SCI.	1
CELANARE	19711	
FROF. RICHAR C VANSLYKE RES. ARALYSIS CCRP. BEECHWOOD CLD TAFFEN RO/D GLEN CCVE, NEW YORK	11 542	1
PROF. JOHN W. TUKEY FINE HALL PRINCETON UNIV. PRINCETON NEW JERSEY	08540	1
CR. THOMAS C. VARLEY CFFICE OF NAVAL RESEARCH CODE 434 ARLINGTON VA	22217	1
PROF. G. WATSON FINE HALL PRINCETON UNIV. PRINCETON NEW JERSEY	C 8540	1
PR. CAVIC A. SWICK ADVANCED PROJECTS GROUP CODE 8103 NAVAL RESEARCH LAB. NASHINGTON CC	· 20375	1
PR. WENDELL G. SYKES ARTHUR C. LITTLE, INC. ACCRI PARK CAMBRIDGE MA	02140	1
PROF. J. R. THEMPSON DEPARTMENT OF MATHEMATICA RICE UNIVERSITY HOUSTON. TEXAS 77001	L SCIENCE	1

	No. of Copies
PROF. F. A. TILLMAN DEPT. OF INDUSTRIAL ENGINEERING KANSAS STATE UNIVERSITY MARHATTAN KS	1
66506	
PROF. A . F . VEINOTT DEFARTMENT OF OPERATIONS RESEARCH STANFORD UNIVERSITITY STANFORD CALIFORNIA 94305	j
DANIEL H. WAGNER STATION SQUARE ONE FACLI, FENNSYLVANIA 19301	1
PRCF. GRACE WARBA CEPT. CF STATISTICS UNIVERSITY CF WISCONSIN MADISON	1
53706	
P. Bloomfield Dept. of Statistics Princeton University Princeton, N.J. 08540	1

	No.	of	Copies
Head, Systems Theory and Operations Research Program Division of Engineering, National Science Foundation Washington, D.C. 20550			1
Dr. J. Keilson Graduate School of Management University of Rochester Rochester, N.Y. 14627			1
P. Kubat Graduate School of Management University of Rochester Rochester, N.Y. 14627			1
Professor Alfredo H-S Ang Department of Civil Engineering University of Illinois Urbana, Ill. 61801			1
Professor Allin Cornell Dept. of Civil Engineering, Rm 1263 M.I.T. Cambridge, MA 02139			1
Professor Armen De Kiureghian Dept. of Civil Engineering University of California Berkeley, CA 94720			1
Z. Khalil Industrial Engineering Dept. University of California Berkeley, CA 94720			1
Professor G. L. O'Brien Mathematics Department York University 4700 Keele Street Downsview, Ontario M3J 1P3, CANADA			1

	No. o	f Copies
Prof. R. L. Tweedie Mathematics Dept. University of Western Australia Nedlands, Australia 6009		1
Won J. Park Department of Mathematics Wright State University Dayton, Ohio 45435		1
Prof. M. Robinovitch Dept. Industrial Eng. & Management Technion, Isreal Inst. Technology Haifa, Israel		1
Dr. M. P. Singh Dept. Eng. Sci. Mech. Rm 217C Norris Hall Virginia Polytechnical Institute Blacksburg, VA 24061		1
Prof. S. Resnick Dept. of Statistics Colorado State University Fort Collins, CO 80523		1
Prof. Y. Mittal Statistics Dept. Stanford University Stanford, CA 94305		1
Henrik Overgaard Madsen Structural Research Lab. Technical University of Denmark DK-2800 Lyngby DENMARK		1
Dr. Emil Simiu Center for Building Technology National Bureau of Standards Washington, D.C. 20234		1

	No.	of	Copies
Joan R. Rosenblatt Applied Math. Center National Bureau of Standards Washington, D.C. 20234			1
Howard Taylor Dept. of Operations Research Cornell Univ. Ithaca, N.Y. 14850			1

TA
407 Gaver
G26
On combinations of random loads.

On combinations of random loads /

3 2768 000 42901 3

DUDLEY KNOX LIBRARY